

Joint
Transportation
Research
Program

JTRP

FHWA/IN/JHRP-96/18 -02

Final Report

**AN INTEGRATED TRANSPORTATION
LAND USE MODELING SYSTEM
FOR INDIANA**

**Part II
Implementation Report and
User's Manual**

**Andrew Ying-Ming Yen
Jon D. Fricker**

August 1998

**Indiana
Department
of Transportation**

**Purdue
University**



Final Report

FHWA/IN/JHRP-96/18

AN INTEGRATED TRANSPORTATION LAND USE MODELING SYSTEM
FOR INDIANA

PART II
IMPLEMENTATION REPORT AND USER'S MANUAL

by

Andrew Ying-Ming Yen
Research Associate
and
Jon D. Fricker
Professor of Civil Engineering


Purdue University
School of Civil Engineering

JOINT TRANSPORTATION RESEARCH PROGRAM
Project No. C-36-54ZZ
File No. 3-3-52

Prepared in Cooperation with the
Indiana Department of Transportation and the
U.S. Department of Transportation
Federal Highway Administration.

The contents of this report reflect the views of the authors, who are responsible for the facts and the accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the Indiana Department of Transportation or the Federal Highway Administration. This report does not constitute a standard, specification, or regulation.

Purdue University
West Lafayette IN 47907-1284
August 1998



Digitized by the Internet Archive
in 2011 with funding from
LYRASIS members and Sloan Foundation; Indiana Department of Transportation

1. Report No. FHWA/IN/JHRP-96/18		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle An Integrated Transportation Land Use Modeling System for Indiana, Part I and Part II				5. Report Date August 1998	
				6. Performing Organization Code	
7. Author(s) Andrew Ying-Ming Yen and Jon D. Fricker				8. Performing Organization Report No. FHWA/IN/JHRP-96/18	
9. Performing Organization Name and Address Joint Transportation Research Program 1284 Civil Engineering Building Purdue University West Lafayette, Indiana 47907-1284				10. Work Unit No.	
				11. Contract or Grant No. HPR-2107	
12. Sponsoring Agency Name and Address Indiana Department of Transportation State Office Building 100 North Senate Avenue Indianapolis, IN 46204				13. Type of Report and Period Covered Final Report	
				14. Sponsoring Agency Code	
15. Supplementary Notes Prepared in cooperation with the Indiana Department of Highways and Federal Highway Administration.					
16. Abstract The principle objective of this research was to develop an integrated model to represent the interrelationships between land use and transportation, subject to the requirements of the ISTEA of 1991 and the CAAA of 1990. The integrated model includes two major parts: a land-use allocation module and a travel demand module. An interface module has also been built to transform data between these two modules. The land-use allocation module consists of a residential location model, an employment location model, a land use potential model, and a land consumption model. One unique feature of the residential and employment location models is that they simultaneously estimate passenger movement by work-to-home, home-to-shop and work-to-shop trips between zones before entering the travel demand module. Then the TRANPLAN-based travel demand module carries out trip generation and trip distribution stages for estimating home-based school, home-based other, non-home-based, external-internal and external-external trips. The land consumption model, which is significantly different from the LANCON procedure of DRAM/EMPAL, is based on micro-economic theory to simulate the profit-maximizing behavior of housing or landowners over time. The major purpose of the land consumption model is to satisfy the need to reach a balance between demand and supply in the housing market during each time period. The land consumption model is also influenced by Anas's work in CATLAS, which did not deal with employment location, but simultaneously considers housing location and employment location. The integrated model can be used to evaluate land use policies and transportation policies. Tests run for the Lafayette area have demonstrated that the model can be used to quantify positive and negative effects of long range transportation and land use plans. The final report has two parts. Part I is the technical report that describes how the Indiana Transportation Land Use Modeling System (ITLUMS) was developed. Part II is a separate user's guide, which describes the FORTRAN programs that make up ITLUMS, the sequence in which the programs must be run, and the format of the input files needed by the ITLUMS programs.					
17. Key Words land use, travel demand, integrated models, land use allocation, land use potentials.			18. Distribution Statement No restrictions. This document is available to the public through the National Technical Information Service, Virginia, 22161		
19. Security Classif. (of this report) Unclassified		20. Security Classif. (of this page) Unclassified		21. No. of Pages Part I - 28 Part II - 158	
				22. Price	

Introduction

This report is intended to be a user's manual. The authors have attempted to create a clear step-by-step guide to using the computer programs that make up the Indiana Transportation Land Use Modeling System (ITLUMS). Emphasis is on the sequence in which the programs must be used, the input files (names, content, and formats) that they require, and the output files (names, contents, and formats) that they produce. The explanation of each of ITLUMS' components is kept as succinct as possible. Theoretical discussions are non-existent; they can be found in the project's final report. Because some input data files are used for more than one computer program, information on the input files is presented in alphabetical order after the program descriptions. A detailed table of contents is provided.

On pages 4 and 5, flow diagrams show the sequence in which the FORTRAN programs that make up ITLUMS must be run. Note that, in the Target Year flow diagram on page 5, the sequence of programs that includes "generapa.for", TRANPLAN, "luam.for", and "se.for" will probably have to be run more than twice, until *convergence* is achieved. This sequence of programs allows for the interaction of land use and transportation system changes to reach an equilibrium situation. "Convergence" is reached for the Target Year Base Case when the values in Columns B and E of output file "*.out" are "reasonably close" to the corresponding values in the previous run. If a policy test is being conducted, the values in Columns C and F of output file "*.out" must be "reasonably close" to the corresponding values in the previous run.

The ITLUMS programs are made available as executable codes. The source codes are also available from the authors, but we would prefer to receive comments on how to improve the code for all users, rather than having several different versions of ITLUMS emerge. If variations on the "standard" ITLUMS proliferate, it will become much more difficult to offer technical assistance to any user who has made independent changes to the code. The authors invite questions and feedback, both on ITLUMS in general and on this User's Guide.

Date		Description		Amount	
1890	Jan 1	Balance		100.00	
	Feb 1	Received from John Doe		50.00	
	Mar 1	Received from Jane Smith		25.00	
	Apr 1	Received from Mr. Brown		75.00	
	May 1	Received from Mrs. White		30.00	
	Jun 1	Received from Mr. Green		40.00	
	Jul 1	Received from Mr. Black		60.00	
	Aug 1	Received from Mr. Grey		20.00	
	Sep 1	Received from Mr. White		80.00	
	Oct 1	Received from Mr. Black		10.00	
	Nov 1	Received from Mr. Grey		5.00	
	Dec 1	Received from Mr. White		15.00	
1891	Jan 1	Received from Mr. Black		35.00	
	Feb 1	Received from Mr. Grey		45.00	
	Mar 1	Received from Mr. White		55.00	
	Apr 1	Received from Mr. Black		65.00	
	May 1	Received from Mr. Grey		75.00	
	Jun 1	Received from Mr. White		85.00	
	Jul 1	Received from Mr. Black		95.00	
	Aug 1	Received from Mr. Grey		105.00	
	Sep 1	Received from Mr. White		115.00	
	Oct 1	Received from Mr. Black		125.00	
	Nov 1	Received from Mr. Grey		135.00	
	Dec 1	Received from Mr. White		145.00	
1892	Jan 1	Received from Mr. Black		155.00	
	Feb 1	Received from Mr. Grey		165.00	
	Mar 1	Received from Mr. White		175.00	
	Apr 1	Received from Mr. Black		185.00	
	May 1	Received from Mr. Grey		195.00	
	Jun 1	Received from Mr. White		205.00	
	Jul 1	Received from Mr. Black		215.00	
	Aug 1	Received from Mr. Grey		225.00	
	Sep 1	Received from Mr. White		235.00	
	Oct 1	Received from Mr. Black		245.00	
	Nov 1	Received from Mr. Grey		255.00	
	Dec 1	Received from Mr. White		265.00	

Table of Contents

Element	Page(s)
Data File Naming Convention	3
Flow diagram for Base Year	4
Flow diagram for Target Year	5
Descriptions of Computer Programs used in ITLUMS	6-7
GIS	6
PS.for	6
DS.for	6
generapa.for	6
TRANPLAN	6
calibra.for	6
luam.for	7
se.for	7
Descriptions of Data Files in ITLUMS	8-27
*.cor	8
*.dat	9
*.out	10
*.pa	11
*.pro	12-13
*.se	14
*.tab	15
area.dat	16
Calibration Adjustment Factor	17
calparam.dat	17
current.asc	18
current.dvw	18-20
dspotent.asc	21
dspro.dat	21-22
imped.dat	23
luam.out	24
param.dat	24
pspoint.dat	25-26
pspotent.asc	26
socio.dat	27-28
target.asc	28
target.dvw	28



Data File Naming Convention

In the flow diagrams and descriptions that follow in this report, some data files are represented with an asterisk (*) before the file name extension. The names of these files must follow the same guidelines used by the trip generation package developed for INDOT by Bernardin-Lochmueller & Associates. The name must have the structure "innycccc.se", where


- ♦ "i" represents "Indiana".
- ♦ "nn" is the 2-digit city number taken from the table below.

nn	City	nn	City
01	Indianapolis	13	Richmond
02	Gary-Hammond Area	14	New Albany
03	Fort Wayne	15	Michigan City
04	South Bend-Mishawaka	16	Marion
05	Evansville	17	Columbus
06	Muncie	18	Lawrence
07	Lafayette-W Lafayette	19	Greenwood
08	Elkhart-Goshen	20	Carmel
09	Bloomington	21	Valparaiso
10	Anderson	22	Jeffersonville
11	Terre Haute	23	LaPorte
12	Kokomo		


- ♦ "y" is "b" or "f", depending on whether the data are for a base or future year.
- ♦ "cccc" is a string of at most 4 characters defined by the user. This string is called the "file tag" in user-prompts by various ITLUMS computer programs.

For example, "i07bla89.se" contains base-year data for Lafayette from 1989.











Descriptions of Computer Programs used in ITLUMS

1. GIS

Purposes: (1) To facilitate the entry and organization of land use suitability data.

(2) To permit the graphic display of geographic data.

Input files: current.dvw

Output files: current.asc

Comments: Use of a geographic information system (GIS) package is not necessary, but it makes the most tedious activity associated with the use of ITLUMS more manageable. One example is to acquire soil characteristics data in electronic form from the appropriate public agency and use GIS to lay it over the cell structure referred to in the description of the "current.dvw" file later in this user's guide. GIS can also be used to compute the distance to utilities and transportation facilities. The alternative is to generate the file "current.asc" by hand or some custom-built computer program.

2. PS.for

Purpose: To use the Point System method (Appendix A of the Technical Report) to determine the highest potential use of each land cell and to calculate the area allocated to residential, commercial, and industrial use.

Input files: current.asc, pspoint.dat

Output files: area.dat, pspotent.asc

3. DS.for

Purpose: To use the Dempster-Shafer method (Appendix B of the Technical Report) to determine the highest potential use of each land cell and to calculate the area allocated to residential, commercial, and industrial use.

Input files: current.asc, dspro.dat

Output files: area.dat, dspotent.asc

4. Generapa.for

Purpose: To generate a production/attraction file to be used by TRANPLAN in trip generation and trip distribution calculations.

Input files: *.se, *.pro, *.cor

Output files: *.pa

Comments: This program is used in both the Base Year and Target Year portions of ITLUMS.

5. TRANPLAN

Purpose: To carry out the travel demand modeling aspects of ITLUMS.

Input files: *.pa, plus all other input files normally required by TRANPLAN.

Output files: imped.dat, plus all other output files normally produced by TRANPLAN.

Comments: (a) TRANPLAN was used in ITLUMS because it is available to all MPOs in Indiana. Any other travel demand model may be used in place of TRANPLAN, as long as the output file "imped.dat" has a format useable by the next FORTRAN program in ITLUMS. (b) The GIS software used in developing ITLUMS was TransCAD. TransCAD has the ability to carry out travel demand modeling. If it can also be given the ability to carry out at least some of the other elements of ITLUMS, a streamlined version of ITLUMS would be possible.

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

1919

6. Calibra.for

Purpose: To estimate parameter values in the residential and employment models that will calibrate ITLUMS to base year data.

Input files: area.dat, param.dat, imped.dat, socio.dat

Output files: calparam.dat

Comments: This program will probably take the longest time to run. On a Pentium machine, one calibration run on Lafayette data took more than 30 minutes.

7. Luam.for

Purpose: To distribute population and the number of retail employees based on zonal data for a target year.

Input files: area.dat, imped.dat, socio.dat, param.dat, calparam.dat

Output files: *.dat

8. Se.for

Purpose: First, to add up the population and the number of retail employees in each township based on zonal data created by "luam.for". Second, to produce a socioeconomic data file that includes population, the number of retail and nonretail employees, the number of housing units and the number of private vehicles in each zone.

Input file: *.dat (In the Lafayette case study, "i07ftes3.dat" is used in Policy Test 3.)

Output files: *.out and *.se. (In the Lafayette case study, "i07ftes3.out" and "i07ftes3.se" are produced during Policy Test 3.)



Description of Data Files in ITLUMS

***.cor**

This file, one of three required by "generapa.for" in either the Base Year or Target Year portion of ITLUMS, contains trips produced by zones that are external to the study area. In the Lafayette case study, one such file was called "i07bla89.cor", as shown below. If the number of trips produced by external zones does not change between the Base Year and Target Year, the "*.cor" input file will be the same in both years.

A	B
183	3415
184	730
185	9810
186	2991
187	13509
188	7337
189	1462
190	496
191	8250
192	1250
193	2491
194	100
195	330
196	731
197	531
198	594
199	343
200	180
201	1896
202	526
203	6192
204	6736
205	9129
206	1604
207	8859
208	11403
209	503
210	640

Col	variable name	format	description
A	L	I7	ID number of external station
B	CORDPS(L)	I8	Trips produced by external station L

PUBLISHED WEEKLY	OFFICE OF THE PUBLISHER	SUBSCRIPTIONS
J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor
J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor
J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor
J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor
J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor	J. M. HARRIS, M.D., Editor

Published by the American Medical Association, 535 North Dearborn Street, Chicago, Ill.

Subscription price, \$5.00 per annum in advance.

Single copies, 15 cents.

Entered as Second-Class Matter, May 2, 1912.

Postage paid at Chicago, Ill., and at additional mailing offices.

Acceptance for mailing at special rate of postage provided for in Act of October 3, 1917.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

Postage paid at Chicago, Ill., and at additional mailing offices.

*.dat

As one of two output files produced by "luam.for", "*.dat" shows the expected distribution of land uses among zones. The output file shown below is from Lafayette Policy Test 3, and is called "i07ftes3.dat". Note that columns D and G have only zero entries, while columns E and H have mostly non-zero values. This is because "i07ftes3.dat" is for Policy Test 3 in a Target Year, not for the Base Case in the Target Year.

A	B	C	D	E	F	G	H	I	J	K
1	7	21	0	21	14	0	14	1	0	199
2	7	127	0	108	233	0	233	117	49	709
3	7	0	0	1	230	0	230	3	0	769
4	7	11	0	11	264	0	264	4	15	875
5	7	138	0	137	27	0	27	71	47	679
6	7	748	0	656	412	0	412	342	331	1515
7	7	475	0	421	155	0	160	271	303	381
8	7	1612	0	1551	66	0	136	694	948	238
9	7	1191	0	1112	12	0	18	565	680	120
10	7	40	0	40	58	0	31	44	38	861
11	7	1201	0	1209	22	0	26	577	713	123
12	7	1200	0	1207	64	0	62	544	764	262
13	7	1016	0	1037	7	0	5	505	720	14
14	7	1021	0	967	51	0	55	440	595	147
15	7	296	0	276	0	0	0	127	192	393
16	7	177	0	163	21	0	21	56	115	1650
17	7	317	0	317	462	0	479	185	228	634
18	7	15	0	15	595	0	567	16	30	800
19	7	579	0	531	42	0	61	236	218	1545
20	7	12	0	12	983	0	810	6	12	420
21	7	577	0	579	0	0	0	265	507	10
22	7	1017	0	1050	81	0	86	396	754	67
23	7	0	0	0	49	0	40	0	0	75

Col	variable name	format	description
A	tazn	i3	Zone number
B	dis	i6	District or township number
C	pop20	i6	forecasted zone population for target year (user-supplied)
D	pop20b	i6	base case population in zone for target year produced by "luam.for"
E	pop20f	i6	population forecast for policy test produced by "luam.for"
F	ser20	i6	retail employment forecast for zone in target year (user-supplied)
G	ser20b	i6	base case retail employment in zone for target year produced by "luam.for"
H	ser20f	i6	retail employment forecast for policy test produced by "luam.for"
I	du	i6	number of dwelling units in zone, target year (user-supplied)
J	autos	i6	number of autos in zone, target year (user-supplied)
K	nonret	i6	non-retail employment in zone, target year (user-supplied)

Date		Time		Location		Remarks	
1911	10/1	10:00	11:00	1000	1000	1000	1000



Date		Time		Location		Remarks	
1911	10/2	10:00	11:00	1000	1000	1000	1000
1911	10/3	10:00	11:00	1000	1000	1000	1000
1911	10/4	10:00	11:00	1000	1000	1000	1000
1911	10/5	10:00	11:00	1000	1000	1000	1000
1911	10/6	10:00	11:00	1000	1000	1000	1000
1911	10/7	10:00	11:00	1000	1000	1000	1000
1911	10/8	10:00	11:00	1000	1000	1000	1000
1911	10/9	10:00	11:00	1000	1000	1000	1000
1911	10/10	10:00	11:00	1000	1000	1000	1000

***.out**

This is an output file produced by "se.for". It echoes the user-supplied target year forecasts of population and retail employment in each district and adds the model's forecasts for either the target year base case or the target year policy test case. The user must compare the model's forecasts from consecutive runs of "se.for" to determine whether convergence of the land use allocation model has been achieved. The file "i07ftes3.out" for Policy Test 3 in the Lafayette case study is shown below. Each line of output is for a separate township or district, except for the last line, which gives the totals for the study area.

A	B	C	D	E	F
2110	0	1984	21	0	0
50822	0	50352	3350	0	3031
5229	0	5256	80	0	33
1983	0	1757	29	0	1
3717	0	3805	3	0	0
3167	0	2852	71	0	2
48178	0	48137	9703	0	10191
15985	0	16915	371	0	389
1378	0	1409	5	0	0
1014	0	1063	12	0	3
753	0	626	4	0	0
1136	0	1168	20	0	4
1820	0	1880	50	0	2
137292	0	137204	13719	0	13656

Col	Description
A	target year population forecast supplied by user
B	target year base case population forecast produced by model
C	target year population forecast produced by model for policy test
D	target year retail employment forecast supplied by user
E	target year base case retail employment forecast produced by model
F	target year retail employment forecast produced by model for policy test

*.pa

Running "generapa.for" in either the Base Year or the Target Year produces the output file "*.pa". This output file contains production and attraction totals by trip purpose for each zone. The file's format matches TRANPLAN's requirements for input to TRANPLAN's Gravity Model function. (See Models page 1-7 of the TRANPLAN User's Manual, Version 8.0.) If the user prefers, this file can be created by hand or by other means exogenous to ITLUMS. Below, file "i07bla89.pa" from the Lafayette case study is shown.

GP	1	1	0	0	654	0
GA	1	1	632	602	654	449
GP	2	1	119	113	2070	0
GA	2	1	1903	1361	2070	1029
GP	3	1	1	1	2148	0
GA	3	1	2018	1305	2148	1029
GP	4	1	18	18	2449	0
GA	4	1	2301	1497	2449	1167
GP	5	1	124	117	1790	0
GA	5	1	1628	816	1790	748
GP	6	1	734	696	4309	0
GA	6	1	3893	2534	4309	1931
GP	7	1	539	511	1339	0
GA	7	1	1172	1190	1339	806
GP	8	1	1751	1661	1135	0
GA	8	1	806	1173	1135	728
GP	9	1	1295	1228	579	0
GA	9	1	303	450	579	325
GP	10	1	55	52	2046	0
GA	10	1	1836	463	2046	649
GP	11	1	1387	1315	627	0
GA	11	1	335	532	627	366
GP	12	1	1418	1344	1002	0
GA	12	1	705	761	1002	537
GP	13	1	1277	1211	291	0
GA	13	1	51	315	291	216
GP	14	1	1165	1105	677	0
GA	14	1	452	633	677	430
GP	15	1	359	340	946	0
GA	15	1	794	161	946	306
GP	16	1	214	203	3807	0
GA	16	1	3404	599	3807	1037
GP	17	1	382	362	2337	0
GA	17	1	2206	2468	2337	1544
GP	18	1	33	32	2792	0
GA	18	1	2717	2849	2792	1805
GP	19	1	540	512	3734	0
GA	19	1	3285	884	3734	1129
GP	20	1	15	14	2201	0
GA	20	1	2252	3480	2201	1963

Date		Page	
1900	1	1	1
1901	2	2	2
1902	3	3	3
1903	4	4	4
1904	5	5	5
1905	6	6	6
1906	7	7	7
1907	8	8	8
1908	9	9	9
1909	10	10	10
1910	11	11	11
1911	12	12	12
1912	13	13	13
1913	14	14	14
1914	15	15	15
1915	16	16	16
1916	17	17	17
1917	18	18	18
1918	19	19	19
1919	20	20	20
1920	21	21	21
1921	22	22	22
1922	23	23	23
1923	24	24	24
1924	25	25	25
1925	26	26	26
1926	27	27	27
1927	28	28	28
1928	29	29	29
1929	30	30	30
1930	31	31	31
1931	32	32	32
1932	33	33	33
1933	34	34	34
1934	35	35	35
1935	36	36	36
1936	37	37	37
1937	38	38	38
1938	39	39	39
1939	40	40	40
1940	41	41	41
1941	42	42	42
1942	43	43	43
1943	44	44	44
1944	45	45	45
1945	46	46	46
1946	47	47	47
1947	48	48	48
1948	49	49	49
1949	50	50	50
1950	51	51	51
1951	52	52	52
1952	53	53	53
1953	54	54	54
1954	55	55	55
1955	56	56	56
1956	57	57	57
1957	58	58	58
1958	59	59	59
1959	60	60	60
1960	61	61	61
1961	62	62	62
1962	63	63	63
1963	64	64	64
1964	65	65	65
1965	66	66	66
1966	67	67	67
1967	68	68	68
1968	69	69	69
1969	70	70	70
1970	71	71	71
1971	72	72	72
1972	73	73	73
1973	74	74	74
1974	75	75	75
1975	76	76	76
1976	77	77	77
1977	78	78	78
1978	79	79	79
1979	80	80	80
1980	81	81	81
1981	82	82	82
1982	83	83	83
1983	84	84	84
1984	85	85	85
1985	86	86	86
1986	87	87	87
1987	88	88	88
1988	89	89	89
1989	90	90	90
1990	91	91	91
1991	92	92	92
1992	93	93	93
1993	94	94	94
1994	95	95	95
1995	96	96	96
1996	97	97	97
1997	98	98	98
1998	99	99	99
1999	100	100	100

*.pro

Create a *city profile* for input to "generapa.for" in either the Base Year or Target Year portion of ITLUMS. The file name must follow the file naming convention shown on page 4, with the file extension "pro". For example, a file used in the Lafayette case study was called "i07bla89.pro".

This file has the ability to adjust trip generation results for special conditions in specific zones. The "FAC" value, if given for a zone, can be used as part of a multiplying *factor* to scale up or down the trip generation results that had been calculated by standard procedures. The "OFF" value, if given, will *offset* standard trip generation results by adding or subtracting the value given. The "REP" value, if given, will *replace* standard trip generation results with the user-specified value. This file is most often used in cases of special generators. If, for example, there are no special generators in the study area, or there are no changes in their trip-generating characteristics, the Base Year and Target Year versions of this file will be identical.

The contents of "i07bla89.pro" are in TRANPLAN format, as shown below and on the next page. Of the 210 zones in Lafayette, only the trip generation results for those zones shown on the next page needed to be adjusted using this file.

Line	variable name in "generapa.for"	format	description
1			Label in file
2			Population of study area
3	JSPEC(p)		Values to define factors "F1" - "F4" in "generapa.for"
4	ICORD		Trip production control total at cordon line
5	MAXZON		Maximum zone number in study area
5	INTZN1		Lowest zone number in study area
6			Ending mark
7-9			Column headers and comments
10-22*	ZON NUM	I4	Number of zones to be adjusted
10-22*	FAC	F6.0	Production multiplying factor, if desired by user
10-22*	OFF	I6	Production offset value, if desired by user
10-22*	REP	I6	Production replacement value, if desired by user
23*			Indicates end of trip production adjustments
24-26*			Column headers and comments
27-39*	ZON NUM	I4	Number of zones to be adjusted
27-39*	FAC	F6.0	Attraction multiplying factor, if desired by user
27-39*	OFF	I6	Attraction offset value, if desired by user
27-39*	REP	I6	Attraction replacement value, if desired by user
40*			Indicates end of trip attraction adjustments

* These line numbers apply to the Lafayette file shown above. As the number of zones that need adjustment vary, so will the number of lines in the file.

&CITYPROFILE

POPULATION=101500

JSPEC(1)=0, JSPEC(2)=0, JSPEC(3)=0, JSPEC(4)=0

ICORD=51315

MAXZON=210, INTZN1 = 1

/

PRODUCTIONS:


ZON	HBW			HBNW			NHB		
NUM	FAC	OFF	REP	FAC	OFF	REP	FAC	OFF	REP
112			117			1821			1219
113			167			3943			1387
114			167			9525			5598
115			0			5130			4378
116			1487			2239			0
118			150			3626			2390
119			100			134			3442
120			100			6417			3526
121			50			0			0
122			0			869			852
123			150			401			217
126			0			2222			1220
127			351			0			0

9999

ATTRACTIONS:

ZON	HBW			HBNW			NHB			CORD		
NUM	FAC	OFF	REP	FAC	OFF	REP	FAC	OFF	REP	FAC	OFF	REP
112			0			3893			1136			0
113			0			4445			1303			0
114			2824			16409			5230			1788
115			4378			8839			4094			2857
116			0			0			0			0
118			1270			7519			2222			802
119			1838			217			3225			1170
120			818			11045			3309			535
121			0			0			0			0
122			2072			1504			802			1337
123			0			685			201			0
126			518			3827			1186			351
127			0			0			0			0

9999



*.se

Before we run "calibra.for", we need to generate a file that contains travel cost data. This is accomplished in several steps, as can be seen in the flow diagram. The process begins by generating by hand a socioeconomic file "*.se" for input to FORTRAN program "generapa.for" in either the Base Year or Target Year portion of ITLUMS. It is likely that the Base Year and Target Year versions of this file will be different, because the Target Year file will reflect changes in population, auto ownership, and employment since the Base Year.

This is what the top part of the file "i07bla89.se" for the Lafayette case study looks like:

A	B	C	D	E	F
1	0	20	0	114	313
2	117	119	49	233	942
3	3	1	0	230	999
4	4	10	15	264	1139
5	70	134	46	127	806
6	341	726	330	412	1927
7	270	457	301	200	581
8	686	1550	937	161	399
9	566	1157	681	30	150
10	43	38	37	48	909
11	604	1219	746	43	166
12	565	1210	793	87	349
13	532	1035	758	11	25
14	459	1036	620	77	224
15	134	305	202	0	393
16	59	183	121	35	1685
17	185	305	228	457	1091
18	16	14	30	544	1344
19	238	568	219	81	1626
20	5	11	10	696	1116
21	273	606	522	0	10
22	411	1029	782	107	174
23	0	0	0	60	135
24	0	0	0	0	90
25	104	212	51	224	1028
26	339	748	434	16	60
27	500	1053	759	32	134
28	597	1268	752	17	49
29	53	191	52	62	293
30	339	713	567	32	44

Col	variable name	format	description
A	IZONE	I4	ID number for zone
B	DU(i)	I6	Number of dwelling units in zone i for policy test
C	POP(i)	I6	Population in zone i for base case or policy test
D	AUTOS(i)	I6	Number of autos in zone i for base case or policy test
E	RETAIL(i)	I6	Retail employment in zone i for base case or policy test
F	TOTEMP(i)	I6	Total employment in zone i for base case or policy test

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL. 773-936-5000
FAX 773-936-5001
WWW.CHICAGO.EDU

BIBLIOGRAPHY	
1. [Illegible]	[Illegible]
2. [Illegible]	[Illegible]
3. [Illegible]	[Illegible]
4. [Illegible]	[Illegible]
5. [Illegible]	[Illegible]
6. [Illegible]	[Illegible]
7. [Illegible]	[Illegible]
8. [Illegible]	[Illegible]
9. [Illegible]	[Illegible]
10. [Illegible]	[Illegible]
11. [Illegible]	[Illegible]
12. [Illegible]	[Illegible]
13. [Illegible]	[Illegible]
14. [Illegible]	[Illegible]
15. [Illegible]	[Illegible]
16. [Illegible]	[Illegible]
17. [Illegible]	[Illegible]
18. [Illegible]	[Illegible]
19. [Illegible]	[Illegible]
20. [Illegible]	[Illegible]
21. [Illegible]	[Illegible]
22. [Illegible]	[Illegible]
23. [Illegible]	[Illegible]
24. [Illegible]	[Illegible]
25. [Illegible]	[Illegible]
26. [Illegible]	[Illegible]
27. [Illegible]	[Illegible]
28. [Illegible]	[Illegible]
29. [Illegible]	[Illegible]
30. [Illegible]	[Illegible]
31. [Illegible]	[Illegible]
32. [Illegible]	[Illegible]
33. [Illegible]	[Illegible]
34. [Illegible]	[Illegible]
35. [Illegible]	[Illegible]
36. [Illegible]	[Illegible]
37. [Illegible]	[Illegible]
38. [Illegible]	[Illegible]
39. [Illegible]	[Illegible]
40. [Illegible]	[Illegible]
41. [Illegible]	[Illegible]
42. [Illegible]	[Illegible]
43. [Illegible]	[Illegible]
44. [Illegible]	[Illegible]
45. [Illegible]	[Illegible]
46. [Illegible]	[Illegible]
47. [Illegible]	[Illegible]
48. [Illegible]	[Illegible]
49. [Illegible]	[Illegible]
50. [Illegible]	[Illegible]
51. [Illegible]	[Illegible]
52. [Illegible]	[Illegible]
53. [Illegible]	[Illegible]
54. [Illegible]	[Illegible]
55. [Illegible]	[Illegible]
56. [Illegible]	[Illegible]
57. [Illegible]	[Illegible]
58. [Illegible]	[Illegible]
59. [Illegible]	[Illegible]
60. [Illegible]	[Illegible]
61. [Illegible]	[Illegible]
62. [Illegible]	[Illegible]
63. [Illegible]	[Illegible]
64. [Illegible]	[Illegible]
65. [Illegible]	[Illegible]
66. [Illegible]	[Illegible]
67. [Illegible]	[Illegible]
68. [Illegible]	[Illegible]
69. [Illegible]	[Illegible]
70. [Illegible]	[Illegible]
71. [Illegible]	[Illegible]
72. [Illegible]	[Illegible]
73. [Illegible]	[Illegible]
74. [Illegible]	[Illegible]
75. [Illegible]	[Illegible]
76. [Illegible]	[Illegible]
77. [Illegible]	[Illegible]
78. [Illegible]	[Illegible]
79. [Illegible]	[Illegible]
80. [Illegible]	[Illegible]
81. [Illegible]	[Illegible]
82. [Illegible]	[Illegible]
83. [Illegible]	[Illegible]
84. [Illegible]	[Illegible]
85. [Illegible]	[Illegible]
86. [Illegible]	[Illegible]
87. [Illegible]	[Illegible]
88. [Illegible]	[Illegible]
89. [Illegible]	[Illegible]
90. [Illegible]	[Illegible]
91. [Illegible]	[Illegible]
92. [Illegible]	[Illegible]
93. [Illegible]	[Illegible]
94. [Illegible]	[Illegible]
95. [Illegible]	[Illegible]
96. [Illegible]	[Illegible]
97. [Illegible]	[Illegible]
98. [Illegible]	[Illegible]
99. [Illegible]	[Illegible]
100. [Illegible]	[Illegible]

***.tab**

Input file for "luam.for", containing zonal data on dwelling units, auto ownership, and non-retail employment. The file "i07ftes3.tab" excerpt is shown below.

```

1      7      1      0      199
2      7     117     49     709
3      7      3      0     769
4      7      4     15     875
5      7     71     47     679
6      7    342    331    1515
7      7    271    303     381
8      7    694    948     238
9      7    565    680     120
10     7     44     38     861
11     7    577    713     123
12     7    544    764     262
13     7    505    720      14
14     7    440    595     147
15     7    127    192     393
16     7     56    115    1650
17     7    185    228     634
18     7     16     30     800
19     7    236    218    1545
20     7      6     12     420
21     7    265    507      10
22     7    396    754      67
23     7      0      0      75

```

Col	variable name	format	description
A	IZONE	I3	ID number for zone
B	DIS(i)	I6	Number of township or district in which zone lies
C	DU(i)	I6	Number of dwelling units in zone in target year
D	AUTOS(i)	I6	Number of autos in zone in target year
E	NONRETAIL(i)	I6	Non-retail employment in zone in target year



area.dat

This is one of two output files from "ps.for". It contains the areas devoted to residential, industrial, and commercial land uses in each traffic analysis zone. The first few lines of "area.dat" and its format are shown below. The first two lines (italicized) are added to help the user adhere to the prescribed file format.

```

      1      2      3      4
123456789012345678901234567890123456789012345678
1   .018   .000   .000   .018   .001   .000   .018
2   .021   .000   .000   .021   .001   .000   .021
3   .017   .000   .000   .017   .001   .000   .017
4   .019   .000   .000   .019   .001   .000   .019
5   .041   .000   .000   .041   .001   .000   .041
6   .101   .018   .021   .062   .001   .059   .042
7   .099   .021   .019   .040   .001   .059   .040
8   .126   .066   .000   .061   .066   .020   .041
9   .112   .044   .000   .023   .089   .000   .023
10  .188   .024   .065   .022   .001   .111   .000
11  .101   .080   .000   .020   .080   .000   .020
12  .185   .097   .000   .044   .058   .083   .044
13  .219   .140   .000   .016   .179   .000   .016
14  .165   .042   .021   .039   .042   .040   .019
15  .138   .046   .000   .000   .090   .000   .000
16  .111   .046   .019   .022   .046   .019   .022
17  .154   .023   .038   .093   .023   .055   .077
18  .232   .020   .098   .114   .020   .118   .094
19  .130   .040   .047   .043   .040   .069   .021
20  .119   .026   .000   .073   .047   .024   .048
21  .166   .100   .000   .000   .166   .000   .000
22  .244   .140   .040   .064   .140   .040   .064
23  .083   .000   .061   .021   .001   .083   .000

```

Fields	Variable name	Description
1-5	i	Traffic analysis zone
6-12	c(i)	Total area of zone i
13-18	b(i,1)	Current area with residential land use in zone i
19-24	b(i,3)	Current area with industrial land use in zone i
25-30	b(i,4)	Current area with industrial land use in zone i
31-36	p(i,1)	Potential area for residential land use in zone i
37-42	p(i,3)	Potential area for industrial land use in zone i
43-48	p(i,4)	Potential area for industrial land use in zone i

Date		Page	
1900	1	1	1
1901	2	2	2
1902	3	3	3
1903	4	4	4
1904	5	5	5
1905	6	6	6
1906	7	7	7
1907	8	8	8
1908	9	9	9
1909	10	10	10
1910	11	11	11
1911	12	12	12
1912	13	13	13
1913	14	14	14
1914	15	15	15
1915	16	16	16
1916	17	17	17
1917	18	18	18
1918	19	19	19
1919	20	20	20
1920	21	21	21
1921	22	22	22
1922	23	23	23
1923	24	24	24
1924	25	25	25
1925	26	26	26
1926	27	27	27
1927	28	28	28
1928	29	29	29
1929	30	30	30
1930	31	31	31
1931	32	32	32
1932	33	33	33
1933	34	34	34
1934	35	35	35
1935	36	36	36
1936	37	37	37
1937	38	38	38
1938	39	39	39
1939	40	40	40
1940	41	41	41
1941	42	42	42
1942	43	43	43
1943	44	44	44
1944	45	45	45
1945	46	46	46
1946	47	47	47
1947	48	48	48
1948	49	49	49
1949	50	50	50
1950	51	51	51
1951	52	52	52
1952	53	53	53
1953	54	54	54
1954	55	55	55
1955	56	56	56
1956	57	57	57
1957	58	58	58
1958	59	59	59
1959	60	60	60
1960	61	61	61
1961	62	62	62
1962	63	63	63
1963	64	64	64
1964	65	65	65
1965	66	66	66
1966	67	67	67
1967	68	68	68
1968	69	69	69
1969	70	70	70
1970	71	71	71
1971	72	72	72
1972	73	73	73
1973	74	74	74
1974	75	75	75
1975	76	76	76
1976	77	77	77
1977	78	78	78
1978	79	79	79
1979	80	80	80
1980	81	81	81
1981	82	82	82
1982	83	83	83
1983	84	84	84
1984	85	85	85
1985	86	86	86
1986	87	87	87
1987	88	88	88
1988	89	89	89
1989	90	90	90
1990	91	91	91
1991	92	92	92
1992	93	93	93
1993	94	94	94
1994	95	95	95
1995	96	96	96
1996	97	97	97
1997	98	98	98
1998	99	99	99
1999	100	100	100



Calibration Adjustment Factor

In "generapa.for", the user is prompted for this value. It represents an attempt to balance the total productions in the study area to the total attractions. In the Lafayette case study, a value of 1.08 was used.

calparam.dat

The program "calibra.for" produces an output file "calparam.dat". It contains the values of five key parameters that define the calibrated form of the land use model. The contents of "calparam.dat" are shown below.

Parameter Value	Parameter name
7.306281E-01	← central
1.033095	← arfap
7.029919E-01	← gamma
5.830720E-01	← gammap
1.783922	← gammaq

- ◆ The parameter "central" is the central tendency parameter. It controls how much agglomeration (i.e., the tendency for businesses to locate near each other) will occur in the service sector. This parameter is called "gamma2" in the technical report.
- ◆ The parameter "arfap" converts developable service area into one component of a zone's service (or retail) attractiveness. This parameter is called "gamma1" in the technical report.
- ◆ The parameter "gamma" converts available dwelling units into one component of a zone's residential attractiveness. This parameter is called "alpha2" in the technical report.
- ◆ The parameter "gammap" converts net developable area into one component of a zone's residential attractiveness. This parameter is called "alpha1" in the technical report.
- ◆ The parameter "gammaq" converts rent and travel cost into one component of a zone's residential attractiveness. This parameter is called "alpha3" in the technical report.

Having produced the file "calparam.dat", a calibrated land use model for the Base Year has been achieved. If time and data permit, it is wise to repeat the calibration process for at least one other historical year, then compare the parameters that result. If the parameters from two or more calibrations agree, then "consensus" or average values can be used. If there is significant difference between parameter values for different years, look for trends or explanations before adopting parameter values to use in the forecast phase of ITLUMS. The file "calparam.dat" can be edited to reflect the judgment of the user regarding the best parameter values to use as input to program "luam.for" in the Target Year portion of ITLUMS.

1. The first part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed.

2. The second part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed.

3. The third part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed.

4. The fourth part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed.

5. The fifth part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed.

6. The sixth part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed.

7. The seventh part of the document is a list of the names of the persons who have been appointed to the various offices of the corporation. The names are listed in alphabetical order, and each name is followed by the office to which he or she has been appointed.

current.asc

This is a file normally produced by GIS software. This file is produced because the input file "current.dvw" can be read only by the Maptitude or TransCAD GIS software. The file "current.dvw" can be viewed by the user while in Maptitude or TransCAD, but it cannot be printed to a file or read by an external program in its *.dvw format. However, it is possible to create the "current.asc" file in the proper format (see below) by hand.

In the Lafayette case study, the content of the output file "current.asc" was not different from "current.dvw" in any way, except that it was in ASCII text format, which made it readable by the next computer program. The ASCII text format is exactly as shown in the format table for "current.dvw".

current.dvw

Create a Land Use data file suitable for use in a Land Suitability Analysis. (See Section 3.3 and Appendices A and B in the Technical Report for descriptions of such an analysis.) This file should be based on a recent year for which good data are available. The tasks that lead to such a data file are:

- ◆ Divide the study area into small cells. In the Lafayette case study, each square mile in urbanized areas was divided into 36 cells. In rural areas, each square mile was divided into 16 cells.
- ◆ Establish factors that help determine the suitability of a piece of land to support a particular land use type. The factors used in Lafayette are listed in Table A.1 of the Technical Report. Table A.1 is reproduced on the next page.
- ◆ Assign values for each factor in each cell, according to criteria such as those shown in Table A.1.

The creation of the Land Use data file is by far the most tedious step in the entire ITLUMS process. Using a geographic information system (GIS) software package can assist this effort. Some GIS packages can generate cells with user-specified dimensions automatically. GIS software can also display the data as they are being assembled, facilitating error checking.

The first portion of the 22,576-line land use data file created for the Lafayette case study is shown on the page after Table A.1. The format shown is the text version of the input file used in the TransCAD GIS package. It has the same format as the "current.asc" file that is produced by the GIS package in the Base Year flow diagram on page 2. This format was chosen by the developer of ITLUMS. The user can choose any format that suits him/her and the GIS software being used. What matters is that the format of the *output* file (called "current.asc" in the flow diagram on page 2) is suitable for use as the input file for the next computer program in ITLUMS. This matter is discussed later in this user's guide.

The first part of the paper discusses the importance of the research and the objectives of the study. The second part describes the methodology used in the study, including the data collection and analysis techniques. The third part presents the results of the study, and the fourth part discusses the conclusions and implications of the findings.

The study was conducted in a laboratory setting, and the data was collected using a series of experiments. The results of the study show that the proposed method is effective in achieving the desired objectives, and the conclusions drawn from the findings are consistent with the research objectives.

The study was conducted in a laboratory setting, and the data was collected using a series of experiments. The results of the study show that the proposed method is effective in achieving the desired objectives, and the conclusions drawn from the findings are consistent with the research objectives.

The study was conducted in a laboratory setting, and the data was collected using a series of experiments. The results of the study show that the proposed method is effective in achieving the desired objectives, and the conclusions drawn from the findings are consistent with the research objectives.

The study was conducted in a laboratory setting, and the data was collected using a series of experiments. The results of the study show that the proposed method is effective in achieving the desired objectives, and the conclusions drawn from the findings are consistent with the research objectives.

The study was conducted in a laboratory setting, and the data was collected using a series of experiments. The results of the study show that the proposed method is effective in achieving the desired objectives, and the conclusions drawn from the findings are consistent with the research objectives.

The study was conducted in a laboratory setting, and the data was collected using a series of experiments. The results of the study show that the proposed method is effective in achieving the desired objectives, and the conclusions drawn from the findings are consistent with the research objectives.

Table A.1 Land use potential decision-making matrix

Factors	Residential				Agricultural			
	2	1	0	-1	2	1	0	-1
Soil Productivity	low	m	h	vh	vh	h	m	low
Soil Limitation	slight		m	severe			all	
Tendency To Flood			all soils				all soils	
Forested		yes					yes	
Sanitary Sewer (ft)	<1000							< 1000
Accessibility	paved <.5 mi	paved >.5 mi		major ins. or R.O.W			all	
Railroads & Airports (ft)			> 300	< 300			all	
Current & Expected Use	R			O	A			O

Factors	Industrial				Commercial			
	2	1	0	-1	2	1	0	-1
Soil Productivity	low	m	h	vh	low	m	h	vh
Soil Limitation	slight		m	severe	slight		m	severe
Tendency To Flood			all soils				all soils	
Forested				yes			yes	
Sanitary Sewer (ft)	<1000	1000-7920		>7920	<1000	1000-2640		>2640
Accessibility	major ins. R. O.W	paved <.5 mi	int. R.O.W	paved >.5 mi	major ins. R. O.W	paved <.5mi	int. R.O.W	paved <.5 mi
Railroads & Airports (ft)	< 300	300-2640	> 2640				> 300	< 300
Current & Expected Use	I			O	C			O

Factors	Open Space			
	2	1	0	-1
Soil Productivity			all	
Soil Limitation			all	
Tendency To Flood	flooding soils		all other soils	
Forested	yes			
Sanitary Sewer (ft)			all	
Accessibility			all	
Railroads & Airports (ft)		< 300	> 300	
Current & Expected Use	O			

m: moderate

h : high

vh: very high

R: residential

A: agricultural

I: industrial

C: commercial

O: open space

THE UNIVERSITY OF CHICAGO PRESS
530 N. Dearborn Ave. Chicago, Ill. 60610-5708
Tel: (773) 707-5500 Fax: (773) 707-0838
http://www.uchicago.edu

THE UNIVERSITY OF CHICAGO PRESS
530 N. Dearborn Ave. Chicago, Ill. 60610-5708
Tel: (773) 707-5500 Fax: (773) 707-0838
http://www.uchicago.edu

THE UNIVERSITY OF CHICAGO PRESS
530 N. Dearborn Ave. Chicago, Ill. 60610-5708
Tel: (773) 707-5500 Fax: (773) 707-0838
http://www.uchicago.edu

THE UNIVERSITY OF CHICAGO PRESS
530 N. Dearborn Ave. Chicago, Ill. 60610-5708
Tel: (773) 707-5500 Fax: (773) 707-0838
http://www.uchicago.edu

THE UNIVERSITY OF CHICAGO PRESS
530 N. Dearborn Ave. Chicago, Ill. 60610-5708
Tel: (773) 707-5500 Fax: (773) 707-0838
http://www.uchicago.edu

THE UNIVERSITY OF CHICAGO PRESS
530 N. Dearborn Ave. Chicago, Ill. 60610-5708
Tel: (773) 707-5500 Fax: (773) 707-0838
http://www.uchicago.edu

Format of "current.dvw"

The italicized numbers in the first two lines below are not a part of the file. They are field numbers, inserted to help the user determine exactly where on each line a variable value should appear.

```

      1      2      3      4      5
12345678901234567890123456789012345678901234567
1VHSE0.35No 80000.0705.110A A199 0.018353 14702
2VHSE0.37No 80000.0705.110A A199 0.017837 14631
3VHSE0.44No 80000.0705.120A A199 0.016719 14776
4VHSE0.55No 80000.0705.130A A199 0.019682 14703
5VHSE0.69No 80000.0705.150A A199 0.017207 14704
6VHSE0.84No 80000.0705.180A A199 0.018726 14705
7VHM 0.99No 80000.0705.210A A199 0.015591 14920
8VHM 1.14No 80000.0705.240A A199 0.018067 14847
9VHM 1.30No 80000.0705.280A A199 0.016150 14848
10VHM 1.45No 80000.0705.320A A199 0.016739 14849
11VHM 1.59No 80000.0705.360A A199 0.014916 15064
12VHM 1.74No 80000.0705.400A A199 0.015570 14991
13VHM 1.89No 80000.0705.440A A199 0.017180 14992
14VHM 2.05No 80000.0705.480A A199 0.015769 14993
15VHM 1.92No 80000.0705.520A A199 0.014474 15206
16VHM 1.80No 80000.0205.550A A190 0.015533 15135
17VHM 1.68No 80000.0705.590A A190 0.017037 15280
18VHM 1.54No 80000.0705.640A A190 0.018619 15207
19VHM 1.42No 80000.0705.690A A190 0.016192 15208
20VHM 1.32No 80000.0705.740A A190 0.016344 15209
21H M 1.22No 80000.0705.780A A190 0.017177 15424
22H M 1.42No 80000.0705.820A A190 0.018075 15351
23VHM 1.32No 80000.0705.860A A190 0.015329 15352

```

Fields	variable name	format	description
1-5	dscell	I5	cell number
6-7	soilprod	A2	Soil productivity
8-9	soilimit	A2	Soil limitation
10-13	floodpla	F4.2	Distance to nearest river (miles) -- calculated by GIS
14-16	forest	A3	At least 50 percent forested?
17-21	sansewer	i5	Distance (feet) from sewer
22-26	accessib	F5.2	Distance (miles) from nearest road
27-31	railair	F5.2	Distance (miles) from railroad or airport
32-33	current	A2	Current and expected land use
34	potent	A1	Current and expected land use (field saved for output file)
35-37	taz	i3	Traffic Analysis Zone to which cell belongs
38-47	area	f10.2	Area of cell (square miles)
48-57	id	i10	ID number given to cell by GIS

ds potent.asc

This is one of two output files produced by the program "ds.for" produces two output files. Its format is the same as "current.asc", except the variable "potent" in field 34 has been updated to reflect the results of the Land Suitability Analysis. This file can be imported into GIS software to plot the results of the Land Suitability Analysis.

dspro.dat

Create this input file for Land Suitability Analysis using the Dempster-Shafer Method. For details about the Dempster-Shafer Method, see Appendix B of the Technical Report. The format for "dspro.dat" is shown below. The "dspro.dat" file used in the Lafayette case study appears on the next page. The first two lines (italicized) in the file are added to help the user adhere to the prescribed file format.

Line(s)	Fields	variable name in "ds.for"	format	description
1		dszone	free	Number of zones in study area
2		dsfactor	free	Number of factors in Land Suitability Analysis
3- (dsfactor+2)		dscatego	free	Number of attribute values possible for each factor
(dsfactor+3)	1	char	A1	If attribute value is alphabetic character, char = "c" If attribute value is integer, X?? = "i" If attribute value is real number, X?? = "r"
(dsfactor+4) -?	1-10	dac dai dar	A10 I10 F10.2	Attribute value, if char = c Attribute value, if char = i Attribute value, if char = r
(dsfactor+4) -?	11-16	ds	A6	First land use combination to be assigned a Dempster-Shafer value (see Appendix B of Technical Report)
(dsfactor+4) -?	17-21	pro	F5.2	D-S value for land use combination cited in fields 11-16
(dsfactor+4) -?	22-27	ds	A6	Second land use combination to be assigned a Dempster-Shafer value
(dsfactor+4) -?	28-32	pro	F5.2	D-S value for land use combination cited in fields 22-27
(dsfactor+4) -?	33-?			Additional land use combinations and corresponding D-S values, as decided by user.

The structure of this file's first four lines is the same as for "pspoint.dat". Once again, line 5 begins with the attribute value, but this time it is followed by one or more land use combinations and a corresponding Dempster-Shafer value. The entry "RIC" in line 5 above means that residential, industrial, and commercial land uses are all equally feasible land uses in a given cell. The entry "0.85" expresses the degree of belief that these land uses are feasible. The program "ds.for" can accept as many as 6 pairs of land use combination and D-S value data on a line.



Format of dspro.dat

```

      1      2      3      4      5
1234567890123456789012345678901234567890123456789012
210
8
4
3
2
2
4
4
3
5
c
    L RIC    0.85 O      0.10 RAICO 0.05
    M RIC    0.50 AO     0.30 RAICO 0.20
    H A      0.85 RICO   0.10 RAICO 0.05
    VH A     0.90 O      0.05 RAICO 0.05
c
    SL RIC   0.85 AO     0.10 RAICO 0.05
    M RIC   0.48 AO     0.48 RAICO 0.04
    SE RIC   0.10 AO     0.85 RAICO 0.05
r
0.189 AO     0.95 RAICO 0.05
0.189 RAICO 1.00
c
    Yes O     0.55 R      0.35 AC     0.05 RAICO 0.05
    No  RAICO 1.00
i
1000 RIC    0.95 RAICO 0.05
2640 IC     0.80 O      0.05 RAICO 0.15
7920 IC     0.70 O      0.10 RAICO 0.20
7920 A      0.75 O      0.20 RAICO 0.05
r
   -1 IC     0.30 AO     0.10 RAICO 0.60
    0 IC     0.85 AO     0.10 RAICO 0.05
   0.5 R     0.50 IC     0.45 RAICO 0.05
   0.5 R     0.45 AO     0.40 RAICO 0.15
r
0.0568 I     0.80 O      0.15 RAICO 0.05
   0.5 I     0.70 RAICO 0.30
   0.5 RAICO 1.00
c
    r R      0.99 RAICO 0.01
    a A      0.85 RAICO 0.15
    i I      0.99 RAICO 0.01
    c C      0.99 RAICO 0.01
    o O      0.85 RAICO 0.15

```



imped.dat

The output file "imped.dat", which contains the generalized cost between each zone pair for the policy test being worked on, is produced by TRANPLAN. The file "imped.dat" is used as input to program "luam.for". File "imped.dat" has free format, with costs to ten destination zones in each line. In the excerpt below, the costs from zone 1 to all 210 zones in the Lafayette study area are shown in 21 lines of data. In the complete file, each succeeding origin zone, 2 through 210, has a set of 21 lines of data that show the cost to each destination zone. Note the changes in travel costs between the Base Year and Target Year versions of "imped.dat". If you want to preserve the base-year "imped.dat" file, save it under another name.

1	0.57	1.13	1.83	1.13	1.93	2.8	2.87	4.17	5.73	5.7	10
11	4.24	6.37	8.17	6.64	8.3	6.88	9.77	10.6	6.51	8.29	20
21	8.32	9.21	10.5	11.09	9.23	8.65	8.64	10.13	9.9	11.41	30
31	10.77	11.9	12.81	12.6	11.4	13.13	11.85	13.28	12.07	13	40
41	21.59	30.11	23.42	29.44	29.95	16.38	21.96	25.78	4.95	3.13	50
51	4.83	5.07	6.95	8.01	8.82	10.21	6.56	5.93	6.85	8.25	60
61	9.22	10.74	11.45	7.55	9.21	10.26	11.57	11.07	10.11	11.92	70
71	10.34	11.59	12.86	14.26	13.54	11.66	13.05	15.66	15.84	17.27	80
81	13.65	15.34	13.86	16.61	15.73	13.18	12.46	8.93	10.31	12.66	90
91	11.28	15.12	13.42	11.91	13.2	16.38	16.98	20.46	16.75	21.13	100
101	19.28	22.63	24.93	27.69	18.1	17.24	16.55	22.4	20.53	6.45	110
111	4.62	6.63	7.08	7.83	9.7	11.56	7.22	8.23	7.83	9.06	120
121	10.28	8.29	10.46	9.68	10.13	12.44	10.09	10.91	11.83	11.64	130
131	13.66	14.28	15.23	17.3	15.9	15.88	7.23	13.22	15.15	13.38	140
141	12.14	17.12	14.42	14.72	17.06	13.62	14.95	14.96	16.96	15.81	150
151	18.61	19.27	26.69	23.18	23.04	15.72	17.02	20.23	17.18	18.04	160
161	22.47	21.2	19.47	23.33	15.24	18.9	18.58	16.89	11.41	19.11	170
171	19.85	23.4	23.07	23.23	15.07	14.07	14.21	11.85	13.53	18.11	180
181	13.97	10.58	29.63	33.71	30.46	25.42	27.83	27.15	24.09	24.33	190
191	22.95	19.94	19.58	22.04	25.06	30.17	35.94	34.35	27.41	25.73	200
201	18.3	18.9	27.4	19.1	18.9	22.2	21.7	24.3	26.2	31.6	210

luam.out

As one of two output files produced by "luam.for", this file displays lots of diagnostic data and may be deleted after being inspected by the user.

param.dat

The input file "param.dat" contains values to control the operation of program "calibra.for".

```
1.0000
0.00
0.00
2
8
1
1
1
```

Line	Variable name in "calibra.for"	Format	Description
1	central	F8.4	Initial value of central tendency variable ... ??
2	wbeta0	F8.2	Initial value of first parameter in exponential deterrence function
3	sbeta0	F8.2	Initial value of second parameter in exponential deterrence function
4	pbeta2	F8.0	Initial value of parameter in power form of deterrence function
5	num	I8	Maximum number of iterations
6	indicator	I8	= 1 if exponential deterrence function is used; = 0 if power form is used
7	popcons	I8	= 1 if population constraint is to be used; = 0 otherwise
8	sercons	I8	= 1 if retail employment constraint is to be used; = 0 otherwise



pspoint.dat

Create this input file if you want to do Land Suitability Analysis using the Point System. For details about the Point System, see Appendix A of the Technical Report. The file implements the point system shown in Table A.1 in the "current.dvw" section of this user's guide. Its format is shown below. The first two lines (*italicized*) are added to help the user adhere to the prescribed file format.

```

      1      2
1234567890123456789012
210
8
4
3
2
2
4
4
3
5
c
    L   2  -1  2  2  0
    M   1   0  1  1  0
    H   0   1  0  0  0
    VH -1   2 -1 -1  0
c
    SL  2   0  2  2  0
    M   0   0  0  0  0
    SE -1   0 -1 -1  0
r
0.189  0   0  0  0  2
0.189  0   0  0  0  0
c
    Yes  1   0 -1  0  2
    No   0   0  0  0  0
i
1000  2  -1  2  2  0
2640  0   0  1  1  0
7920  0   0  1 -1  0
7920  0   0 -1 -1  0
r
    -1  0   0  0  0  0
    0  -1  0  2  2  0
    0.5 2   0  1  1  0
    0.5 1   0 -1 -1  0
r
0.0568 -1  0  2 -1  1
0.5  0   0  1  0  0
0.5  0   0  0  0  0
c
    R   2   0  0  0  0
    A   0   2  0  0  0
    I   0   0  2  0  0
    C   0   0  0  2  0
    O  -1  -1 -1 -1  2

```



Line(s)	Fields	variable name in "ps.for"	format	description
1		pszone	free	Number of zones in study area
2		psfactor	free	Number of factors in Land Suitability Analysis
3- (psfactor+2)		pscatego	free	Number of attribute values possible for each factor
(psfactor+3) - ?	1	char	A1	If attribute value is alphabetic character, char = "c" If attribute value is integer, X?? = "i" If attribute value is real number, X?? = "r"
(psfactor+3) - ?	1-7	pac pai par	A7 I7 F7.3	Attribute value, if char = c Attribute value, if char = i Attribute value, if char = r
(psfactor+3) - ?	8-22	PC	5i3	Point value for each of 5 land use types that corresponds to each attribute value

The first two lines in the file above indicate that there were 210 zones in the Lafayette study and that 8 factors used in the Land Suitability Analysis. Line three shows that the first factor (Soil Productivity) had 4 possible attribute values (low, moderate, high, and very high in Table A.1), the second factor had 3 possible attribute values, and so on. Line 4 indicates that the first factor's attribute values are represented by letters, namely, "L", "M", "H", and "VH".

Because the first factor has 4 possible attribute values, each of the next 4 lines contains an attribute value and the point value for that attribute value that corresponds to each of the 5 land use types. For example, line 5 has the attribute value "L", followed by the point values 2 for Residential land use, -1 for Agricultural land use, 2 for Industrial land use, 2 for Commercial land use, and 0 for Open Space. After the next three attribute values have been listed in the next three lines, information on the second factor is listed. It also has alphabetic values ("SL", "M", and "SE"). The third factor (distance to nearest river) has real-valued attribute values, so line 13 in the file shown above has the entry "r". In the next two lines, the value "0.189" is given as the distance in miles from a river beyond which a cell is not thought to be susceptible to flooding. In line 14, the point values correspond to the condition "distance < 0.189 mile". In line 15, the point values correspond to the condition "distance > 0.189 mile".

Two factors later, the attribute value type is "i", meaning the values are integers. For the fifth factor (distance to sanitary sewer), each attribute value (except for the last value) is the upper bound on a range of distances. For example, "2640" means that a cell is between 1000 and 2640 feet from a sewer line. The second instance of "7920" applies to those cells more than 7920 feet from a sewer.

pspotent.asc

This is one of two output files produced by the program "ps.for". Its format is the same as "current.asc", except the variable "potent" in field 34 has been updated to reflect the results of the Land Suitability Analysis. This file can be imported into GIS software to plot the results of the Land Suitability Analysis.

The first part of the report deals with the general situation of the country. It is a very interesting and comprehensive survey of the country's resources and its potentialities. The second part of the report deals with the specific details of the country's resources and its potentialities. It is a very interesting and comprehensive survey of the country's resources and its potentialities.

The third part of the report deals with the specific details of the country's resources and its potentialities. It is a very interesting and comprehensive survey of the country's resources and its potentialities. The fourth part of the report deals with the specific details of the country's resources and its potentialities. It is a very interesting and comprehensive survey of the country's resources and its potentialities.

The fifth part of the report deals with the specific details of the country's resources and its potentialities. It is a very interesting and comprehensive survey of the country's resources and its potentialities. The sixth part of the report deals with the specific details of the country's resources and its potentialities. It is a very interesting and comprehensive survey of the country's resources and its potentialities.

socio.dat

This is one of three files required by program "calibra.for". This file contains the population and employment data that form the basis for calibrating the land use model. It is also one of five input files required by "luam.for" to allocate land use within the study area. The first few lines of the Base Year "socio.dat" for "calibra.for" are shown below. The first two lines (italicized) are added to help the user adhere to the prescribed file format. The first few lines of the Target Year "socio.dat" for "luam.for" are shown on the next page. Because the Target Year file is for the year 2015 and policy test 3, its contents reflect the changes in population and employment that are expected.

1					2					3					4					5					6				
12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	
1	21	99	113	.00002	21	14	4	200	90	1																			
2	127	709	942	.00002	127	233	117	250	210	1																			
3	0	669	899	.00002	1	230	3	284	284	1																			
4	11	875	1139	.00002	11	264	4	200	180	1																			
5	138	379	406	.00002	138	27	71	200	140	1																			
6	748	1515	1927	.00002	748	412	342	372	307	1																			
7	475	381	536	.00002	475	9999	271	372	352	1																			
8	1612	238	304	.00004	9999	9999	694	384	372	1																			
9	1191	120	132	.00004	9999	9999	565	372	355	1																			
10	40	861	919	.00004	40	9999	44	284	284	1																			
11	1201	123	145	.00004	9999	9999	577	404	437	1																			
12	1200	262	326	.00004	9999	9999	544	404	427	1																			
13	1016	14	21	.00004	9999	9999	505	417	530	1																			
14	1021	147	198	.00004	9999	9999	440	354	343	1																			
15	296	393	393	.00004	9999	9999	127	354	421	1																			
16	177	1650	1671	.00002	9999	9999	56	354	426	1																			
17	317	634	1096	.00004	317	9999	185	354	354	1																			
18	15	800	1395	.00004	15	9999	16	500	500	1																			
19	579	1545	1587	.00002	9999	9999	236	354	359	1																			
20	12	420	1403	.00004	12	9999	6	384	384	1																			
21	577	10	10	.00004	9999	9999	253	404	494	1																			
22	1017	67	148	.00004	9999	9999	396	404	453	1																			
23	0	75	124	.00004	1	9999	0	400	400	1																			

Field	Variable name in "calibra.for"	Format	Description
1-3	taz	I3	Traffic analysis zone
4-9	total	I6	Total population in zone in base year
10-15	d(i,0)	F6.0	Total non-retail employment in zone i in base year
16-21	labor	I6	Total employment in zone i in base year
22-29	areaempl	F8.5	Area per service employee (square mile) in base year
30-37	poplimit	F8.0	Upper bound for population in zone in base year
38-45	serlimit	F8.0	Upper bound for retail employment in zone in base year
46-51	dwell	F6.0	Number of dwelling units in zone in base year
52-57	rent1*	F6.0	Housing rent in zone in base year
58-63	rent(i)	F6.0	Housing rent in zone in base year
64-66	ldummy	I3	= 1 if zone is in Lafayette or West Lafayette; = 0 otherwise

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL: 773-936-5000
FAX: 773-936-5001
WWW.CHICAGO.EDU



THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637
TEL: 773-936-5000
FAX: 773-936-5001
WWW.CHICAGO.EDU

Initial housing rent values were estimated from real estate listings. The rents were subsequently adjusted by "calibra.for" to achieve a better zone-by-zone match of observed and modeled populations.

	1										2										3										4										5										6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	12345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	2345678901	23

target.asc

Run the GIS software on the "target.dvw" file to produce an ASCII text file "target.asc". As stated for "current.asc", this produces a file that can be read by an external program. In this case, the external program is either "ps.for" or "ds.for", depending on the user's preference for the Land Suitability method. However, it is suggested that both methods be used and the results at the end of the ITLUMS process be compared.

target.dvw

The file "target.dvw" is simply an edited version of the "current.dvw" file. It will show any changes that affect the factors in the study area's cells. For example, if the road network is expanded, the accessibility of some cells will be improved. If no such changes take place between the base year and target year, the "target.dvw" here will have the same contents as the original "current.dvw".

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

